LiFePO4 Battery (Bluetooth) Specification

Model: LITH-BLUE12100B150





Norwegian importer:

Skandinavisk Batteriimport AS Rigetjønnveien 22B 4626 Kristiansand

Phone: +47 38 10 70 20 Web: www.skanbatt.no Mail: post@skanbatt.no

1. General Information

This specification defines the performance of rechargeable LiFePO4 battery pack **LITH-BLUE12100B150** manufactured by SHENZHEN TOPBAND NEW ENERGY CO.,LTD, describes the type, performance, technical characteristics, warning and caution of the battery pack. The battery pack support Bluetooth communication function. Through installing a Android or Apple application (SKANBATT) on mobile terminal, the user can read the battery pack system information.

2. Specification

NO	Items		Description				
Normal Specification							
1	Nominal Voltage		12.8V				
2	Normal Capacity		100Ah				
3	Internal Resistance		≤20mΩ				
Stan	Standard Charge						
4	Battery operation ter @charging	mperature range	0~45°C				
5	Normal charge voltage	ge	14.4±0.2V				
6	Recommended float Standby use)	charge voltage(for	Under 13.9V				
7	Allowed MAX charge	current	100A@Battery initial Temp 25±5℃				
8	Recommended charg	ge current	≤60A				
Standard Discharge							
9	Battery operation ter @discharging	mperature range	-20~60°C				
10	Output Voltage Rang	je	10.0~14.6V				
11	Allowed discharge cu	urrent	150A withstand 30min @Battery initial Temp 25±5°C				
12	Pulse discharge curre	ent	350A withstand 3s				
13	Discharge Cut-off voltage		10.0V				
Mecl	hanical Characterist	tics					
			Length 307±2mm				
14	Dimension		Width 169±2mm				
			Height 215±2mm				
15	Weight		Approx. 12.8Kg				
Stor	age						
	Storage	Short: within one month	-20~60℃, 45~75%RH				
16	Temperature & Humidity Range	Long term: above one month	-10~30℃, 45~75%RH				
17	Self-discharge rate	Residual capacity	≤3% per month; ≤15% per year				
	Sell discharge rate	Reversible capacity	≤1.5%per month; ≤8% per year				

3. Electrical Characteristics & Test Condition

Testing Conditions: Ambient Temperature: 25±5°C; Huminity:45%~75%.


NO	Items	Criterion		Condition			
1	Internal Impedance	≤20mΩ		Test the internal resistance of 50% SOC battery pack with 1 kHz AC internal resistance test instrument.			
2	Capacity	≥100Ah		≥100Ah		Rest for 1 hour after fully charged, then discharge with 0.33C current until the battery reaches the discharge cutoff voltage. Repeat above process for three times, if the discharge time is not less than 180 minutes, you can stop and define the Discharging current*time value (Ah) as battery capacity.	
3	Short circuit protection	1		Not allowed.			
4	MAX charge Current	100A		Charging with this current for more than 0.5h and the added temperature of battery pack less than 20° C.			
5	MAX discharge Current	100A		100A		Discharging with this current for more than 0.5h and the added temperature of battery pack less than 35° C.	
6	Cycle life (DOD%100)	≥2000cycle		Discharge with the current of 0.5C until it can't discharge, and then rest it for 1h. Charge the battery following CC(0.33C)/CV(14.6V) mode to full capacity, and then rest it for 1h. Repeat above process until full charged capacity is no more than 80% of normal value. Accumulated times is defined as cycle life.			
	Discharge Temperature Characteristics	-20 ℃	≥70%	At 25±5°C discharge the battery with the			
7		0℃	≥80%	current of 0.33C to the cut-off voltage. Store the battery at various temperatures for 2h and			
		25 ℃	100% ≥95%	discharge the battery with 0.33C to the cut-off voltage. Record the ratio between discharging & charging capacity.			
	Charge Retention	remain		Charge the battery to full capacity and store it			
8	ability	capacity≥90%		for 28days, and then discharge it with 0.33C to the cut-off voltage.			

4. Circuit Protection

The batteries are supplied with a LiFePO4 Battery Management System (BMS)that can monitor and optimized each single prismatic cell during charge & discharge, to protect the battery pack overcharge, over discharge, short circuit. Overall, the BMS helps to ensure safe and accurate running.

Test item	Content	Criterion	
	Over-charge protection for each cell	3.80±0.03V	
Over charge	Over-charge release for each cell	3.60±0.05V	
	Over-charge release method	Under the release voltage	
	Over-discharge protection for each cell	2.00±0.04V	
Over discharge	Over-discharge release for each cell	2.30±0.05V	
	Over-discharge release method	Charging	
	Discharge over current protection	350~550A	
Over current	Protection delay time	10~40ms	
	Over current release method	Release after 8s.	
Over	Pattom / aver tomporature	Protection @65±5℃	
Temperature	Battery over temperature	Release @50±5℃	
Over	Datter / lawer town out two	Protection @-10±5℃	
Temperature	Battery lower temperature	Release @0±5°C	

5. Dimensional Drawing



6. Storage & Transportation

- * Based on the character of cell, proper environment for transportation of LiFePO4 battery pack need to be created to protect the battery.
- * Battery should be stayed in the ware house -20°C \sim 35°C where it's dry, clean, shade, and well-ventilated.
- * The battery should be stored in 50% SOC during transportation.
- * The battery need to be charged every 6 months if out of use
- * Keep the battery against dropping, turning over and serious stacking during loading.

7. Warning & Tips

Please read and follow the specification and caution remarks on battery surface before use the battery. Improper use may cause heat, fire, rupture, damage or capacity deterioration of the battery. SHENZHEN TOPBAND NEW ENERGY CO.,LTD. Describes is not responsible for any accidents caused by the usage without following our specification.

Warning!

- * The battery must be far away from heat source, high voltage, and avoid being exposed to sunshine for long time.
- * Never throw the battery into water.
- * Never connect the positive and negative of battery with metal.
- * Never sheep or store battery together with metal.
- * Never reverse two electrodes when use the battery.
- * Never disassemble the battery without manufacturer's permission and guidance.
- * Never knock, throw or trample the battery.

Tips!

- * Keep the battery against high temperature. Otherwise it will cause battery heat, get into fire or lose some function and reduce the life.
- * When battery run out of power, please charge your battery timely (≤15day).
- * Please use the matched or suggested charger for this battery.
- * If battery emit peculiar smell, heating, distortion or appear any abnormity during working or storage, please stop using and take it out from device.
- * If the battery leaks and get into the eyes or skin, do not wipe, instead, rinse it with clean water and see doctor immediately.
- * Please far away from children or pets.
- * Do not put disuse battery into a fire or water.
- * If user needs to parallel several battery packs, please charge them to full capacity with same type of matched charger, and set it aside for 8 hours, professionals only. This battery pack supports application no more than 4 group parallel. If user needs to apply this product to more groups parallel, please reconfirm details with us.
- * It is strictly prohibited any series between the battery packs. Any requirements on serials connection, please contact TOPBAND for details.

