


Bending profiles

The traveller systems from „Pfeiffer-Marine“ are designed for a diagonal pull/bending of up to 45° where they retain their excellent running properties. For regattas and continuous use (unlimited sailing) we recommend traveller cars with stainless steel ball-bearings. All traveller tracks can be supplied bent. For bent rails it is recommended to use only traveller cars with four wheels. Since the rails are first bent and then anodized, a delivery time of 2-3 weeks has to be expected.



Genua T-Tracks



Main-sheet X-Tracks



Please fill in the following data sheets and send them back to us. We will then provide you with a quotation.

All questions can be answered via phone by our technical sales team!

Name:
Street:
City:
Phone:
email:
Fax:

Remarks/Comments:

Data for tracks

Please try to measure the size of the deflection/bend according to the following sketch. You can choose between 3 methods:

1. If you'd rather just measure distances:

Measure the length of the base and the height


2. If you prefer to directly measure the deflection:

Measure the true length and the height or the radius

3. If you prefer not to measure, at all:

Give us a pattern or template.


Please enter the calculated values into the table. Possible options: 1. Bends in horizontal direction (horizontal, end the side) 2. Bends in vertical direction (the end is up or down) 3. A combination of the first two possibilities. In any case, there must be a constant radius.



A Horizontal



B Vertical = the ends are up



C Vertical = the ends are down



Please tick the option for the bend you would like to have.

DATASHEET

Adjustment X-Tracks/T-Tracks



Specialist for yacht and boat equipment

Pfeiffer Genua T-Track

The Genua T-rails (rails, Spi rails) are made of silver anodized aluminum. Since the rails are first bent and then anodized, the delivery time can take 2 to 3 weeks. The hole spacing is 100 mm (except 20x3 : 70 mm). Screw-Ø: 5 mm (20 x 3, 25 x 4 track), 6 mm (32 x 6) and 8 mm (40 x 8).



Size 1:

20 x 3 mm

Item No. 10953

Size 3:

32 x 6 mm

Art.Nr. 10957

Size 2:


25 x 4 mm

Item No. 10955

Size 4:

40 x 8 mm

Item No. 61250



Genua T-Track: Item no.	Quantity: (number of meter)	True length:	Length base line:	Horizontal radius or height:	Vertical (ends up) radius or heigth	Vertical (ends down) radius or heigth
10953						
10955						
10957						
61250						
19293*						

* For the bending of the rails, additional costs will be charged. Therefore please add the total length of the rail that has to be bend in the following field.


Pfeiffer Marine X-Schienen

High quality traveller-systems for boats of 6.5 m to 14 m in length. For boats of up to 18 meters length, an additional reinforced profile („size 3 plus“) is available. The hole spacing is as followed:

Size 1: 80 mm, Screw Ø: 5 mm

Size 2: 100 mm Screw Ø 6 mm

Size 3: 100 mm, Screw Ø: 8 mm.



Size 1:

W 19 mm, H 20 mm,

Length of boat up to 6,5 m

Item no. 11974

Size 2:

W 23 mm, H 25 mm,

Length of boat up to 9,5 m


Item no. 11984

Size 3:

W 36 mm, H 34 mm,

Length of boat up to 14 m

Item no. 11996



Marine X-Tracks: Item no.	Quantity: (number of meter)	True length:	Length base line:	Horizontal radius or height:	Vertical (ends up) radius or heigth	Vertical (ends down) radius or heigth
11974						
11984						
11996						
19291*						

* For the bending of the rails, additional costs will be charged. Therefore please add the total length of the rail that has to be bend in the following field.