## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### Seatec Gelcoat weiss

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

coating Resin

Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

SVB Spezialversand für Yacht- und Bootszubehör GmbH

Gelsenkirchener Strasse 25-27

28199 Bremen

Telephone no. +49(0) 421 57 29 0-0

e-mail info@svb.de

Advice on Safety Data Sheet info@svb.de

### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### **Classification information**

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

#### 2.2 Label elements

Not relevant

#### 2.3 Other hazards

PBT assessment

Not applicable.

vPvB assessment

Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

## Hazardous ingredients

No	Substance name		Additional information			
	CAS / EC / Index / Classification (EC) 1272/2008 (CLP)		Concentration			%
	REACH no					
1	silicon dioxide, ch	emically prepared				
	7631-86-9	-	>=	5.00 - <	10.00	%-b.w.
	231-545-4					
	-					

## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

01-2119379499-16

Full Text for all H-phrases and EUH-phrases: pls. see section 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

Poisonous symptoms can first be observed after several hours, therefore medical observation for at least 48 hours is necessary. Adhere to personal protective measures when giving first aid. Remove contaminated, soaked clothing immediately and dispose of safely. If the patient is likely to become unconscious, place and transport in stable sideways position.

#### After inhalation

When inhaled remove to fresh air and seek medical aid. Irregular breathing/no breathing: artificial respiration. In case of persisting adverse effects consult a physician.

#### After skin contact

After skin contact immediately wash with water and soap and rinse thoroughly. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart and seek medical advice. Get medical attention if pain still persists.

#### After ingestion

Seek medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide; Extinguishing powder; Water spray jet; Fight larger fires with directed water spray.

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustion products of this material have to be classed invariably as respiratory poison. In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Cool endangered containers with water spray jet. Run-off water from fire fighting must not be discharged into drains or enter surface water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove persons to safety. Keep away from ignition sources. Do not inhale vapours.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry

## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

into waterways, soil or drains, inform the responsible authorities.

## 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g., sand, kieselguhr, acid binder, universal binder, sawdust) and send for disposal. Do not rinse away using water or aqueous detergents. Dispose of absorbed material in accordance with the regulations.

## 6.4 Reference to other sections

Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Wash hands and skin before breaks and after work. Remove soiled or soaked clothing immediately. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Provide eye wash fountain in work area. Do not inhale gases/vapours/aerosols.

#### Advice on protection against fire and explosion

Take precautionary measures against static charges. Keep away from sources of ignition - refrain from smoking. Vapours can form an explosive mixture with air. Use explosion-proof equipment/fittings and non-sparking tools.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed, cool and dry. Stabilizer may loose effectiveness by long-term storage of product.

### Recommended storage temperature

Value < 30 °C

## Requirements for storage rooms and vessels

Store in original packing at room temperature.

#### Incompatible products

Store the foodstuffs separately. Do not store together with: oxidizing agents; Peroxides

### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	silicon dioxide, chemically prepared	7631-86-9		231-545-4	
	List of approved workplace exposure limits (WELs) / EH40				
	Silica, amorphous inhalable dust				
	WEL long-term (8-hr TWA reference period)	6	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40				
	Silica, amorphous respirable dust				
	WEL long-term (8-hr TWA reference period)	2.4	mg/m³		

#### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In

## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

case of brief exposure or low level concentrations use a respiratory filter device. Short term: filter apparatus, combination filter A-P2; In case of intensive or longer exposure use self-contained breathing apparatus.

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Protective gloves (EN 374); Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Besides the suitable material, the choice of protective gloves depends additionally on quality criteria which may vary from one manufacturer to the other.

Appropriate Material nitrile rubber

Material thickness >= 0.7 mm
Breakthrough time > 480 min

Appropriate Material viton

Inappropriate material natural latex

Material thickness >= 0.7 mm
Breakthrough time > 480 min

#### Other

work clothing

#### **Environmental exposure controls**

No data available.

Flammability (solid, gas)

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

imormation on basic physical and cr	nemicai properti	62		
Form/Colour				
viscous				
white				
Odour				
slight				
Odour threshold				
No data available				
pH value				
No data available				
Boiling point / boiling range				
No data available				
Melting point / melting range				
not determined				
Decomposition point / decomposition range	2			
No data available	•			
Flash point Value	>	93	°C	
		93	C	
Auto-ignition temperature				
No data available				
Oxidising properties				
No data available				
Explosive properties				
No data available				

## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

not determined

**Evaporation rate** 

No data available

Relative density

No data available

Density

Value appr. 1.4 g/cm³ Reference temperature 23 °C

Solubility in water

Comments insoluble

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

**Viscosity** 

No data available

#### 9.2 Other information

#### Other information

No data available.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Polymerization under development of heat.

#### 10.4 Conditions to avoid

Heat, naked flames or other ignition sources, electrostatic charge and discharge, formation of vapours/aerosols. Protect from sun.

### 10.5 Incompatible materials

Peroxides; Oxidizing agents; polymerization initiators; Copper and copper alloys.

#### 10.6 Hazardous decomposition products

In case of fire: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

**Aspiration hazard** 

No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

**Bacteria toxicity** 

No data available

#### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

#### 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	Not applicable.		
vPvB assessment	Not applicable.		

#### 12.6 Other adverse effects

No data available.

### 12.7 Other information

## Other information

Do not discharge product unmonitored into the environment.

Product is not allowed to discharge into aquatic environment, drains or sewage treatment plants.

Do not discharge into surface waters/groundwater.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste code 07 02 99 wastes not otherwise specified

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

## **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

## 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

## 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

## with 1907/2006/EC

Trade name: Seatec Gelcoat weiss

Current version: 1.0.0, issued: 29.09.2020 Replaced version: -, issued: - Region: GB

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Observe employment restrictions for young people.

Observe employment restrictions for child bearing mothers and nursing mothers.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

## Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 770051