

Premium Polish Spray mit Teflon® surface protector

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Premium Polish Spray mit Teflon® surface protector
Art-Nr 02.5267.00

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

Boat care product

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor Yachticon A. Nagel GmbH
Hans-Böckler-Ring 33, D-22851 Norderstedt
Phone +49 40 511 3780, Fax +49 40 51 74 37
E-Mail yachticon@yachticon.de
Internet www.yachticon.de

Advice

Phone +49 40 511 37 80

Fax +49 40 51 74 37

E-mail (competent person):

yachticon@yachticon.de

1.4. Emergency telephone number

Emergency advice Giftinformationszentrale Berlin
Phone +49 (0)30 192 40
Information in German.

! SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

! Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Aerosol 1	H222, H229	
-----------	------------	--

! Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

! Additional hints

This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS02

Premium Polish Spray mit Teflon® surface protector
! Signal word

Danger

! Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary Statements
! General

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

! Prevention
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

! Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

2.3. Other hazards
! Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

! SECTION 3: Composition/ information on ingredients
3.1. Substances

not applicable

3.2. Mixtures
Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/ GHS]
64742-81-0	265-184-9	Kerosine (petroleum), hydrodesulfurized; Kerosine - unspecified	5 < 10	Asp. Tox. 1, H304
	925-653-7	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, aromatics (2-25%)	5 < 10	Asp. Tox. 1, H304 / Aquatic Chronic 3, H412
	919-164-8	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, aromatic compounds (2-25%)	1 < 5	Asp. Tox. 1, H304 / Aquatic Chronic 3, H412 / , EUH066
	926-141-6	Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclenes, <2% aromatics	1 < 5	Asp. Tox. 1, H304 / , EUH066
68439-49-6	500-212-8	Alcohol, C16-C18 ethoxylated	< 0,5	Acute Tox. 4, H302 / Eye Dam. 1, H318 / Aquatic Acute 1, H400

REACH

CAS No	Name	REACH registration number
	Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclenes, <2% aromatics	01-2119456620-43-XXXX

! SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove moisted clothing immediately.

In the event of persistent symptoms receive medical treatment.

In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

! In case of skin contact

In case of contact with skin wash off with soap and water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Remove contact lenses.

In case of ingestion

Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

! SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Exposed to heat there is danger of exploding aerosol containers.

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Can form explosive vapor-air mixtures.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply (isolated).

Wear protective clothing.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

! SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

! For non-emergency personnel

Avoid skin and eye contact.
Keep away from heat and sources of ignition.
Use personal protective clothing.
Forms slippery surfaces with water.
Ensure adequate ventilation / exhaustion at the workplace.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Do not distribute with water.
Do not rinse with water - extreme danger of slipping!
After taking up the material dispose according to regulation.
Take up mechanically and send for disposal.

! Additional Information

Remove all sources of ignition. Avoid open flames.

6.4. Reference to other sections

Safe handling: see section 7
Disposal: see section 13
Personal protection equipment: see section 8
Emergency telephone number: see section 1

! SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Take the usual precautions when handling with chemicals.

General protective measures

Avoid contact with eyes and skin

Hygiene measures

Clean skin thoroughly after working.
At work do not eat, drink and smoke.
Remove soiled or soaked clothing immediately.
Keep away from food and drink.

! Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking
The heavy vapours may bridge a long distance to source of ignition.
Vapours can form an explosive mixture with air.
Take precautionary measures against static discharges.
Avoid effect of heat.

Premium Polish Spray mit Teflon® surface protector

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Only use containers that are approved specifically for the substance/product.

! Advice on storage compatibility

Do not store together with oxidizing agents.

Store at cool and aired place and at distance to acids, alkalies and combustile materials.

Keep away from combustible, flammable materials or sources of ignition.

Further information on storage conditions

Protect from extreme heat and cold.

Keep container dry and store at cool and aired place.

Storage group 2B

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Nitril, 0,4 mm, 60 min, 480 min. e.g. "Camatril Profi" (KCL GmbH, Email: Vertrieb@kcl.de)

The selection of the suitable gloves does not only depend on different material, but also on further marks of quality and varies from manufacturer to manufacturer.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

Eye protection

safety goggles

Other protection measures

protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

liquid

Colour

white

Odour

characteristic

Odour threshold

not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	ca. 8 - 9	20		DIN 19261	in water

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.4



Premium Polish Spray mit Teflon® surface protector

	Value	Temperature	at	Method	Remark
Boiling temperature / boiling range	not determined				
Melting point / Freezing point	not determined				
Flash point	not determined				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	1,07 g/cm ³	20 °C			
Vapour density	not determined				
Solubility in water					partially soluble
Solubility/other	not determined				
Partition coefficient n-octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				
Oxidising properties	No information available.				
Explosive properties	No information available.				
9.2. Other information	No information available.				

! SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions of use.

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Heat, open flames, sparks

10.5. Incompatible materials

Substances to avoid

Oxidising agent

10.6. Hazardous decomposition products

Concerning possible decomposition products see section 5.

Thermal decomposition

Remark No decomposition if used as directed.

! SECTION 11: Toxicological information

11.1. Information on toxicological effects

! Aspiration hazard

After swallowing and subsequent vomiting, aspiration into the lungs can occur, which can lead to chemical pneumonia or suffocation.

! Experiences made from practice

Frequent persistent contact with the skin may cause skin irritation.

! Additional information

The product should be handled with the care usual when dealing with chemicals.

Further hazardous properties can not be excluded.

! SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Premium Polish Spray mit Teflon® surface protector

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

! General regulation

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

! SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recommendations for the product

There are no harmonised regulations on the disposal of chemicals in the member states of the EU. In Germany the Recycling and Waste Management Act (KrWG) stipulates recycling as a requirement. This means that a distinction must be made between "wastes for recycling" and "wastes for disposal". Particular aspects - in the main concerning delivery - are also governed by the Laender.

Recommendations for packaging

Disposal according to official regulations.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

! General information

Allocation of the waste number has to be done according to the EWC directive industry- and process-specific.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)	2.1	2	2.1
14.4. Packing group	-	-	-
14.5. Environmental hazards	Yes	Yes	Yes

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

Land and inland navigation transport ADR/RID

Hazard label(s) 2.1

tunnel restriction code D

Classification code 5F

Marine transport IMDG
MARINE POLLUTANT

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class 2 following VwVwS
hazardous to water

**Decree for case of
interference/remarks** Not subject to the Hazardous Incident Ordinance

15.2. Chemical Safety Assessment

No information available.

! SECTION 16: Other information

Training advice

See the technical data sheet for more information.

! Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The national special regulations have to be implemented by each user their own responsibility!
The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please note: Our Material Safety Data Sheets have been prepared in accordance with EU directives, WITHOUT taking into account the specific national regulations for handling hazardous materials and chemicals.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.3

! Sources of key data used

Data sheets of the suppliers.

Federal Environment Agency (water hazard classes)

EUH066 Repeated exposure may cause skin dryness or cracking.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.