No. 1907/2006 (REACH) Printed 17.02.2016

17.02.2016 (GB) Version 1.3 revision Premium Hard Wax Spray mit Teflon® surface



protector

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Premium Hard Wax Spray mit Teflon® surface protector Name of product

Art-Nr 02.5214.00

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

Surface care product

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor Yachticon A. Nagel GmbH

> Hans-Böckler-Ring 33, D-22851 Norderstedt Phone +49 40 511 3780, Fax +49 40 51 74 37

E-Mail yachticon@yachticon.de Internet www.yachticon.de

Advice

Phone +49 40 511 37 80 Fax +49 40 51 74 37 E-mail (competent person): yachticon@yachticon.de

1.4. Emergency telephone number

Giftinformationszentrale Berlin **Emergency advice** 

Phone +49 (0)30 192 40 Information in German.

Classification procedure

#### ! SECTION 2: Hazards identification

Hazard alassas and Hazard

#### 2.1. Classification of the substance or mixture

#### ! Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] Hozord

categories	Statements
Aerosol 1	H222, H229
STOT SE 3	H336
Aquatic Chronic 3	H412

#### ! Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

! Hazard statements for health hazards

H336 May cause drowsiness or dizziness.

! Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

! Additional hints

This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

2.2. Label elements

No. 1907/2006 (REACH) Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3 **Premium Hard Wax Spray mit Teflon® surface** 



protector

#### Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]





GHS02

GHS07

#### ! Signal word

**Danger** 

# ! Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

#### ! Hazard statements for health hazards

H336 May cause drowsiness or dizziness.

#### ! Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary Statements**

! General

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

! Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

! Response

P312 Call a POISON CENTER/doctor/.../if you feel unwell.

! Storage

P405 Store locked up.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

! Disposal

P501 Dispose of contents/container to an approved waste handling.

#### Supplemental Hazard information (EU)

#### ! Health properties

Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

#### ! Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

No. 1907/2006 (REACH) Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3 **Premium Hard Wax Spray mit Teflon® surface** 

protector



# ! SECTION 3: Composition/ information on ingredients

#### 3.1. Substances

not applicable

#### 3.2. Mixtures

#### ! Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/ GHS]
	927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	25 < 30	Flam. Liq. 3, H226 / Asp. Tox. 1, H304 / STOT SE 3, H336 / Aquatic Chronic 3, H412 / FUH066

**REACH** 

CAS No	Name	REACH registration number
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	01-2119471843-32-XXXX

#### **Additional advice**

Benzene content < 0.1%

#### ! SECTION 4: First aid measures

#### 4.1. Description of first aid measures

# General information

Remove moisted clothing immediately.

In the event of persistent symptoms receive medical treatment.

#### ! In case of inhalation

Ensure of fresh air.

#### ! In case of skin contact

In case of contact with skin wash off with soap and water.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Remove contact lenses.

# In case of ingestion

Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth thoroughly with water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

No. 1907/2006 (REACH)
Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3



protector



# ! SECTION 5: Firefighting measures

# 5.1. Extinguishing media Suitable extinguishing media

Alcohol-resistant foam

Dry fire-extinguishing substance

Carbon dioxide Water spray jet

# Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Exposed to heat there is danger of exploding aerosol containers.

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO2)

Can form explosive vapor-air mixtures.

#### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply (isolated).

Wear protective clothing.

# **Additional information**

Forms slippery surfaces with water.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### ! SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

#### ! For non-emergency personnel

Avoid skin and eye contact.

Keep away from heat and sources of ignition.

Use personal protective clothing.

Forms slippery surfaces with water.

Ensure adequate ventilation / exhaustion at the workplace.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

# 6.3. Methods and material for containment and cleaning up

Do not distribute with water.

Do not rinse with water - extreme danger of slipping!

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).


After taking up the material dispose according to regulation.

# ! Additional Information

Remove all sources of ignition. Avoid open flames.

No. 1907/2006 (REACH)
Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3



protector



#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8 Emergency telephone number: see section 1

#### ! SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Take the usual precautions when handling with chemicals.

#### **General protective measures**

Avoid contact with eyes and skin

#### Hygiene measures

Clean skin thoroughly after working.

At work do not eat, drink and smoke.

Remove soiled or soaked clothing immediately.

Keep away from food and drink.

#### ! Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

The heavy vapours may bridge a long distance to source of ignition.

Vapours can form an explosive mixture with air.

Take precautionary measures against static discharges.

Avoid effect of heat.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in closed original container.

Only use containers that are approved specifically for the substance/product.

#### ! Advice on storage compatibility

Do not store together with oxidizing agents.

Keep away from combustible, flammable materials or sources of ignition.

#### Further information on storage conditions

Exclude sources of ignition - No smoking.

Protect from direct solar radiation.

Protect from extreme heat and cold.

Keep container dry and store at cool and aired place.

Storage group 2E

#### 7.3. Specific end use(s)

No information available.

No. 1907/2006 (REACH) Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3 **Premium Hard Wax Spray mit Teflon® surface** 



protector

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### **Respiratory protection**

In case of insufficient ventilation or long-term effect use breathing apparatus.

#### **Hand protection**

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Nitril, 0,4 mm, 60 min, 480 min. e.g. "Camatril Profi" (KCL GmbH, Email: Vertrieb@kcl.de)

The selection of the suitable gloves does not only depend on different material, but also on further marks of quality and varies from manufacturer to manufacturer.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### Eye protection

safety goggles

#### Other protection measures

protective clothing

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

AppearanceColourOdouraerosolcolourlesscharacteristic

# Odour threshold not determined

#### Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
Boiling temperature / boiling range	not determined				
Melting point / Freezing point	not determined				
Flash point	not determined				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				

No. 1907/2006 (REACH)

Printed 17.02.2016

17.02.2016 (GB) Version 1.3 revision Premium Hard Wax Spray mit Teflon® surface protector



	Value	Temperature	at	Method	Remark
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	0,79 g/cm3	20 °C			
Vapour density	not determined				
Solubility in water					immiscible
Solubility/other	not determined				
Partition coefficient noctanol/water (log PO/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				
Oxidising properties No information available.					
Explosive properties  No information available.					
<b>9.2. Other information</b> No information available.					

# ! SECTION 10: Stability and reactivity

## 10.1. Reactivity

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

#### 10.2. Chemical stability

Stable under normal conditions of use.

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

Reactions with oxidising agents.

# 10.4. Conditions to avoid

Heat, open flames, sparks

# 10.5. Incompatible materials

Substances to avoid

Oxidising agent

No. 1907/2006 (REACH)
Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3 **Premium Hard Wax Spray mit Teflon® surface** 

protector



#### 10.6. Hazardous decomposition products

Concerning possible decomposition products see section 5.

#### Thermal decomposition

Remark No decomposition if used as directed.

# ! SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

#### Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark	
Skin irritation	No irritant effect known.				
Eye irritation	No irritant effect known.				
Skin sensitization	No known sensitization.				
Sensitization respiratory system	No known sensitization.				

#### ! Aspiration hazard

After swallowing and subsequent vomiting, aspiration into the lungs can occur, which can lead to chemical pneumonia or suffocation.

#### ! Experiences made from practice

Frequent persistent contact with the skin may cause skin irritation.

### **Additional information**

The product should be handled with the care usual when dealing with chemicals.

Further hazardous properties can not be excluded.

#### ! SECTION 12: Ecological information

#### 12.1. Toxicity

No information available.

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.


## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No. 1907/2006 (REACH) Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3



protector



#### ! General regulation

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

# Recommendations for the product

There are no harmonised regulations on the disposal of chemicals in the member states of the EU. In Germany the Recycling and Waste Management Act (KrWG) stipulates recycling as a requirement. This means that a distinction must be made between "wastes for recycling" and "wastes for disposal". Particular aspects - in the main concerning delivery - are also governed by the Laender.

#### Recommendations for packaging

Disposal according to official regulations.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

#### **General information**

Allocation of the waste number has to be done according to the EWC directive industry- and process-specific.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)	2.1	2	2.1
14.4. Packing group	-	-	-
14.5. Environmental hazards	Yes	Yes	Yes

#### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

# Land and inland navigation transport ADR/RID

Hazard label(s) 2.1 tunnel restriction code D Classification code 5F

#### Marine transport IMDG

MARINE POLLUTANT

No. 1907/2006 (REACH) Printed 17.02.2016

revision 17.02.2016 (GB) Version 1.3 **Premium Hard Wax Spray mit Teflon® surface** 

protector



# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** 

Water hazard class 1 following VwVwS

slightly hazardous to water

#### 15.2. Chemical Safety Assessment

No information available.

#### ! SECTION 16: Other information

#### Training advice

See the technical data sheet for more information.

#### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

#### **Further information**

The national special regulations have to be implemented by each user their own responsibility! The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please note: Our Material Safety Data Sheets have been prepared in accordance with EU directives, WITHOUT taking into account the specific national regulations for handling hazardous materials and chemicals.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.2

#### ! Sources of key data used

Data sheets of the suppliers.

Federal Environment Agency (water hazard classes)

EUH066 Repeated exposure may cause skin dryness or cracking.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.