

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : STAR BRITE RIB & INFLATABLE BOAT CLEANER/PROTECTANT WITH PTEF  
Product code : 972XX

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC35 Cleaning agent.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Star Brite Europe Inc.  
29 Rue des Tourrais  
69290 Craponne, France  
Telephone : +33-472-570 133  
Fax : +33-472-570 493  
E-mail : jp.kitzinger@starbrite-europe.com  
Website : www.starbrite-europe.com

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
FR - Telephone : +33-472-570 133 (During office hours only)  
EMERGENCY TELEPHONE NUMBER (for DOCTORS only):  
National Poisons Information Service +44-844 892 0111 (24/7)

**SECTION 2 HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

CLP classification (1272/2008/EC) : Corrosive to metals, hazard category 1. Skin corrosive, category 1B. Serious eye damage, category 1.  
Human health hazards : Causes severe skin burns and eye damage.  
Physical/chemical hazards : May be corrosive to metals.  
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.  
Other information : Keep out of the reach of children. Do not breathe spray. Use only in well-ventilated areas.

**2.2. Label elements**

Label elements (1272/2008/EC):  
Hazard pictograms :



Signal word : Danger  
H- and P-phrases : H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P260 aerosol Do not breathe spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301 + P330 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
+ P331

P303 + P361 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 + P353  
 P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 + P338  
 P310 Immediately call a POISON CENTER/doctor.  
 P363 Wash contaminated clothing before reuse.  
 P405 Store locked up.  
 P234 Keep only in original container.  
 P390 Absorb spillage to prevent material damage.  
 P501 Dispose of contents/container to an official chemical waste depot.

**Additional labelling**

: Contains: Disodium metasilicate .  
 : 2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity.

**Ingredient declaration according to Regulation 648/2004:**

Contains:	Concentration (%)
Non-ionic surfactants , Cationic surfactants , EDTA and salts thereof	< 5
Benzisothiazolinone, Methylisothiazolinone.	

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

**2.3. Other hazards**

Other information : Does not contain PBT or vPvB substances.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

Product description : Mixture.

**Information on hazardous substances:**

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Potassium carbonate	0,1 - < 1	584-08-7	209-529-3		
Alcohols, C7-21, ethoxylated	0,1 - < 1	68991-48-0	614-889-3		
Disodium metasilicate	0,1 - < 1	6834-92-0	229-912-9		
N,N-dimethyltetradecylamine N-oxide	0,1 - < 1	3332-27-2	222-059-3		01-2119949262-37

Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Hazard Class	H-phrases	Pictograms	
Potassium carbonate	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3	H315; H319; H335	GHS07	
Alcohols, C7-21, ethoxylated	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 3	H302; H318; H400; H412	GHS05; GHS07; GHS09	M (acute) = 1
Disodium metasilicate	Met. Corr. 1; Eye Dam. 1; Skin Corr. 1B; STOT SE 3	H290; H318; H314; H335	GHS05; GHS07	
N,N-dimethyltetradecylamine N-oxide	Acute Tox.4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute; Aquatic Chronic 2	H302; H315; H318; H400; H411	GHS07; GHS05; GHS09	M (acute) = 1

Reference is made to chapter 16 for full text of each relevant H phrase.

**SECTION 4 FIRST-AID MEASURES**

#### 4.1. Description of first aid measures

##### First aid measures

- Inhalation : Move victim into fresh air. Apply artificial respiration or supply oxygen if needed. Transport to a hospital immediately.
- Skin contact : Immediately wash off skin with plenty of water. Take off contaminated clothing. Consult a doctor in case burns or irritation occur.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Transport to a hospital immediately.
- Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Transport to a hospital immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### Effects and symptoms

- Inhalation : Corrosive. May cause sore throat and coughing. May cause shortness of breath or lack of breath.
- Skin contact : Corrosive. May cause redness, pain and severe burns (blisters).
- Eye contact : Corrosive. May cause redness and severe pain. Tears.
- Ingestion : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

##### Extinguishing media

- Suitable : Carbondioxide (CO<sub>2</sub>). Foam. Dry chemical. Water fog.
- Not suitable : None known.

#### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

#### 5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

#### 6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point.  
Wash away remainder with plenty of water.

**6.4. Reference to other sections**

Reference to other sections : See also section 8.

**SECTION 7 HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe spray. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing. After contact with skin, wash immediately with plenty of water.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C).  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : Steel and aluminium.

**7.3. Specific end use(s)**

Use : Use only as directed. Do not mix with other products.

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments
Potassium carbonate		2	-	MAC: LT

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Potassium carbonate	Dermal Inhalation			16 mg/kg bw/day 10 mg/m <sup>3</sup>	
Disodium metasilicate	Dermal Inhalation				1,49 mg/kg bw/day 6,22 mg/m <sup>3</sup>
N,N-dimethyltetradecylamine N-oxide	Dermal Inhalation				11 mg/kg bw/day 6,2 mg/m <sup>3</sup>

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Potassium carbonate	Dermal Inhalation			8 mg/kg bw/day 10 mg/m <sup>3</sup>	
Disodium metasilicate	Dermal Inhalation				0,74 mg/kg bw/day 1,55 mg/m <sup>3</sup>

N,N-dimethyltetradecylamine N-oxide	Oral			0,74 mg/kg bw/day
	Dermal			5,5 mg/kg bw/day
	Inhalation			1,53 mg/m <sup>3</sup>
	Oral			0,44 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Disodium metasilicate	Water	7,5 mg/l	1 mg/l	
	Intermittent water			7,5 mg/l
	STP			1000 mg/l
N,N-dimethyltetradecylamine N-oxide	Water	0,0335 mg/l	0,00335 mg/l	
	Sediment	5,24 mg/kg	0,524 mg/kg	
	Intermittent water			0,0335 mg/l
	STP			24 mg/l
	Soil			1,02 mg/kg
	Oral			11,1 mg/kg food


## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: neoprene. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: neoprene. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear a face shield or appropriate safety glasses with side shields, in accordance with EN 166.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Colourless.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pH	: > 11.5	
Alkali reserve (g NaOH/100 ml)	: 0.48	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies.
Flash point	: > 100 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93)
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 352 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: 0 °C	

Explosive properties	: None known.	Does not contain explosives.
Explosion limits (in air)	: Not known.	
Oxidising properties	: Not known.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: 2300 Pa	
Vapour density (20°C)	: Not applicable.	The solvent content of this product is less than 1%.
Relative density (20°C)	: 1.025 g/ml	
Evaporation rate	: Very low.	(n-butyl acetate = 1)

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from acids.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

#### Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 2 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Corrosive. May cause sore throat and coughing. May cause pulmonary oedema. Symptoms of pulmonary oedema often manifest after several hours.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: 3 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Corrosive. Causes severe burns.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.

- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Eye contact  
Corrosion/irritation : Corrosive. Risk of serious damage to eyes.
- Ingestion  
Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Not classified - based on available data, the classification criteria are not met.  
Aspiration : Does not contain substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.  
Corrosion/irritation : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.  
Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.  
Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.  
Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic.

Toxicological information:

Chemical name	Property		Method	Test animal
Disodium metasilicate	LD50 (oral)	662 mg/kg bw	----	Mouse
	Eye irritation - estimate	Corrosive.		Rabbit
	LD50 (oral) - estimate	> 2000 mg/kg bw	----	----
	LC50 (inhalation) - estimate	> 5000 mg/m3	----	----
	NOAEL (oral)	127 mg/kg bw/d	----	Rat
	LD50 (dermal) - estimate	> 5000 mg/kg bw	----	Rat
	Skin sensitisation	Not sensitizing	OECD 429	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Corrosive.	OECD 404	Rabbit

**SECTION 12 ECOLOGICAL INFORMATION**

**12.1. Toxicity**

No ecotoxicological research has been carried out on this product.

- Ecotoxicity : Calculated LC50 (fish): 717 mg/l. Calculated EC50 (waterflea): 1051 mg/l. Contains < 1 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : No specific information known.

**12.4. Mobility in soil**

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

**12.5. Results of PBT and vPvB ass**

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

**12.6. Other adverse effects**

Other information : Not applicable.

**SECTION 13 DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION****14.1. UN number**

UN nr. : UN 3266

**14.2. UN proper shipping name**

Transport name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. ( Disodium metasilicate )

Transport name (IMDG, IATA) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. ( Disodium metasilicate )

**14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards**

ADR/RID/ADN (road/railway/inland waterways)

Class : 8

Classification code : C5

Packaging group : III

Danger label : 8



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 8

Packaging group : III

EmS (fire / spill) : F - A / S - B

Marine pollutant : No

IATA (air)

Class : 8

**14.6. Special precautions for user**

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**



Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EC) No 453/2010 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

### 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

## SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 453/2010 dated 20 May 2010 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

Full text of H-phrases mentioned in section 3:

H314	Causes severe skin burns and eye damage.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.
Met. Corr. 1	: Corrosive to metals, hazard category 1.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
IATA	: International Air Transport Association

---

IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative
Number format	: "," used as decimal separator.

---

History

Date of first issue : 19-11-2015