according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Yachtcare Uniflex Marine black

Product code : 137.176

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Adhesives and/or sealants

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Vosschemie GmbH

Esinger Steinweg 50 25436 Uetersen

Germany

info@vosschemie.de

Telephone : 04122 717 0 Telefax : 04122 717158

Responsible Department : Laboratory

04122 717 0

sds@vosschemie.de

1.4 Emergency telephone number

Telephone : Giftinformationszentrum (GIZ)-Nord,

Göttingen, Deutschland

0551 19240

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
Trimethoxyvinylsilane	Registration number 2768-02-7	Flam. Liq. 3; H226	>= 1 - < 10
Timethoxy why is liane	220-449-8	Acute Tox. 4; H332	>= 1 - < 10
	01-2119513215-52		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area.

Take off contaminated clothing and shoes immediately.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Remove to fresh air.

If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

In case of skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Call a physician if irritation develops or persists.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Keep eye wide open while rinsing.

If easy to do, remove contact lens, if worn.

Consult a physician.

If swallowed : Do NOT induce vomiting.

Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder Water spray jet Alcohol-resistant foam

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Build-up of dangerous/toxic fumes possible in cases of

fire/high temperature.

Hazardous combustion prod-

ucts

Hazardous decomposition products due to incomplete com-

bustion

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Further information : Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : First aider needs to protect himself.

Wear personal protective equipment. Evacuate personnel to safe areas.

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel into suitable containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Wear personal protective equipment.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Store in original container.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Further information on stor-

age conditions

Storage must be in accordance with the BetrSichV (Germany).

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

Protect from frost, heat and sunlight.

Advice on common storage : Keep away from food and drink.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Trimethoxyvinylsilane	Workers	Inhalation	Long-term systemic effects	27.6 mg/m3
	Workers	Skin contact	Long-term systemic effects	3.9 mg/kg
	Consumers	Inhalation	Long-term systemic effects	18.9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	7.8 mg/kg
	Consumers	Oral	Long-term systemic effects	0.3 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Nitrile rubber

Break through time : < 10 min

Glove thickness : >= 0.12 mm

Directive : DIN EN 374

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough.

The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec-

tive glove.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

Preventive skin protection

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

Skin and body protection : Please wear suitable protective clothing, e.g. made of cotton

or heat-resistant synthetic fibres.

Long sleeved clothing

Respiratory protection : Apply technical measures to comply with the occupational

exposure limits.

No personal respiratory protective equipment normally re-

quired.

Protective measures : Ensure that eye flushing systems and safety showers are

located close to the working place.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Handle in accordance with good industrial hygiene and safety

practice.

Keep away from food, drink and animal feedingstuffs.

Wash thoroughly after handling.

Environmental exposure controls

Soil : Avoid subsoil penetration.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : black

Odour : characteristic

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

Not applicable

Flash point : > 100 °C

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapour pressure : < 100 hPa (20 °C)

Density : 1.56 g/cm3 (20 °C)

Solubility(ies)

Water solubility : insoluble

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

Partition coefficient: n-

octanol/water

: not determined

Ignition temperature : > 200 °C

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if used as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Reaction with strong oxidizing agents.

Incompatible with acids.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Sulphur oxides

Upon contact with water / humidity:

Methanol

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h

Test atmosphere: vapour

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

Method: Calculation method

Components:

Trimethoxyvinylsilane:

Acute oral toxicity : LD50 Oral (Rat): 7,120 - 7,236 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 16.8 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 3,259 - 3,880 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Trimethoxyvinylsilane:

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 191 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 168.7 mg/l

Exposure time: 48 h

Method: Regulation (EC) No. 440/2008, Annex, C.2

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 89

mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to microorganisms : EC50 (Bacteria): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 28.1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

Trimethoxyvinylsilane:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

Trimethoxyvinylsilane:

Partition coefficient: n-

octanol/water

: log Pow: 1.1 (20 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.

Do not empty into drains, dispose of this material and its con-

tainer at hazardous or special waste collection point. Dispose of in accordance with local regulations. Send to a licensed waste management company.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of in accordance with local regulations.

Waste Code : The following Waste Codes are only suggestions:

08 04 09, waste adhesives and sealants containing organic

solvents or other hazardous substances

08 04 10, waste adhesives and sealants other than those

mentioned in 08 04 09

08 04 11, adhesive and sealant sludges containing organic

solvents or other hazardous substances

08 04 12, adhesive and sealant sludges other than those

mentioned in 08 04 11

15 01 10, packaging containing residues of or contaminated

by hazardous substances 150102, plastic packaging 150104, metallic packaging

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

Date of first issue: 04.11.2019 1.0 GB/EN 04.11.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Not applicable

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-Not applicable

plete the ozone layer

Regulation (EC) No 850/2004 on persistent organic pol-Not applicable

lutants

REACH - Restrictions on the manufacture, placing on Conditions of restriction for the following entries should be considered:

the market and use of certain dangerous substances,

preparations and articles (Annex XVII) Number on list 20, 52a

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Not applicable

15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

SECTION 16: Other information

Full text of H-Statements

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

Full text of other abbreviations

Acute Tox. Acute toxicity Flam. Liq. Flammable liquids

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentra-

according to Regulation (EC) No. 1907/2006



Yachtcare Uniflex Marine black

Version Revision Date: Date of last issue: -

1.0 GB / EN 04.11.2019 Date of first issue: 04.11.2019

tion; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.