Safety Data Sheet dated 21/1/2022, version 6



## SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name:

TEAK WONDER INSTANT CLEANER

Trade code: TWITCL

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Teak cleaner - FOR LEISURE CRAFTS ONLY

Uses advised against:

All uses not listed in the recomended uses

1.3. Details of the supplier of the safety data sheet

Company:

BARKA s.r.l. Strada Padana Superiore, 256/266 - 20055 Vimodrone - MI - ITALIA Tel. (+39) 02 27408033 - Fax (+39) 02 2504072

Competent person responsible for the safety data sheet:

- info@barka.it
- 1.4. Emergency telephone number:

Austria +43 1 31304 5620, Belgium +32022649636, Bulgaria +359 2 9154 409, Croatia +38514686910, Cyprus +3572240561, Czech Republic +420267082257, Denmark +45 72 54 40 00, Estonia +3726943384, Finland +358 5052 000, France +33 3 85 21 92, Germany +49-30-18412-0, Greece +302106479250, Hungary +34 (1) 476 1136, Ireland +35318092566, Italy +390649906140, Latvia +371 67032600, Lithuania +370 70662008, Luxembourg +352 24785551, Netherland +31 88 75 585 61, Norway +47 21 07 70 00, Poland +48 42 2530 400, Portugal +351213303271, Romania +40213183606, Slovakia +421 2 5465 2307, Slovenia +38614006039, Spain +34 917689800, Sweden +46104566750, United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 (UK only).

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP)



Warning, Met. Corr. 1, May be corrosive to metals.

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements

Hazard pictograms:

Danger Hazard statements: H290 May be corrosive to metals.

TWITCL/6 Page n. 1 of 11

P102 Keep out of reach of P103 Read carefully and P280 Wear protective glo P301+P330+P331 IF SW P303+P361+P353 IF ON Rinse skin with water [or P305+P351+P338 IF IN contact lenses, if present P310 Immediately call a	needed, have product container or label at hand. of children. follow all instructions. wes/protective clothing/eye protection/face protection. /ALLOWED: Rinse mouth. Do NOT induce vomiting. SKIN (or hair): Take off immediately all contaminated clothing.
P405 Store locked up.	
	s and container in accordance with all local, regional, national and
international regulations. Special Provisions:	
•	t be featured by a safety lock for children.
	t have tactive indications of danger for blind people.
Contains	
disodium metasilicate	
Product contents:	
Non-ionic surfactants	< 5 %
The product also contains:	
Allergens:	
Preservatives:	tetrasodium ethylene diamine tetraacetate
Special provisions according to	Annex XVII of REACH and subsequent amendments:
None	
2.3. Other hazards	
vPvB Substances: None	- PBT Substances: None
Other Hazards:	
No other hazards	

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: 3% - 5% 1-methoxy-2-propanol; monopropylene glycol methyl ether

Index number: 603-064-00-3, CAS: 107-98-2, EC: 203-539-1



3.8/3 STOT SE 3 H336

1% - 2.5% disodium metasilicate

CAS: 10213-79-3, EC: 229-912-9

2.16/1 Met. Corr. 1 H290



3.2/1B Skin Corr. 1B H314



3.8/3 STOT SE 3 H335

TWITCL/6 Page n. 2 of 11

**SECTION 4: First aid measures** 

4.1. Description of first aid measures
In case of skin contact:
Immediately take off all contaminated clothing.
Areas of the body that have - or are only even suspected of having - come into contact with
the product must be rinsed immediately with plenty of running water and possibly with soap.
OBTAIN IMMEDIATE MEDICAL ATTENTION.
Wash with plenty of water and soap.
In case of eyes contact:
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
In case of Ingestion:
Do NOT induce vomiting.
In case of Inhalation:
Remove casualty to fresh air and keep warm and at rest.
4.2. Most important symptoms and effects, both acute and delayed None
4.3 Indication of any immediate medical attention and special treatment needed

4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
  - Water.
  - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.
  - Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
  - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.

6.4. Reference to other sections See also section 8 and 13

TWITCL/6 Page n. 3 of 11

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Avoid contact with skin and eyes, inhalation of vapours and mists.	
Do not eat or drink while working.	
See also section 8 for recommended protective equipment.	
7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed.	
Incompatible materials:	
None in particular.	
Instructions as regards storage premises:	
Adequately ventilated premises.	
7.3. Specific end use(s)	
None in particular	
SECTION 8: Exposure controls/personal protection 8.1. Control parameters	
1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2	
VL - TWA(8h): 375 mg/m3, 100 ppm - STEL: 568 mg/m3, 150 ppm - Notes: Skin; 2000/39/EC	
EU - TWA(8h): 375 mg/m3, 100 ppm - STEL(): 568 mg/m3, 150 ppm - Notes: Skin	
ACGIH - TWA(8h): 50 ppm - STEL: 100 ppm - Notes: A4 - Eye and URT irr disodium metasilicate - CAS: 10213-79-3	
OEL - TWA: 3 mg/m3 - STEL: 10 mg/m3 - Notes: TRGS 900	
DNEL Exposure Limit Values	
1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2	
Worker Professional: 369 mg/m3 - Consumer: 43.9 mg/m3 - Exposure: Human	
Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA	
Worker Professional: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short	•
Term, systemic effects - Notes: ECHA	
Worker Professional: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects - Notes: ECHA	
Worker Professional: 183 mg/kg bw/day - Consumer: 78 mg/kg bw/day - Exposure:	
Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA	
Consumer: 33 mg/kg bw/day - Exposure: Human Oral - Frequency: Long Term,	
systemic effects - Notes: ECHA	
PNEC Exposure Limit Values	
1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2	
Target: Fresh Water - Value: 10 mg/l - Notes: ECHA	
Target: Marine water - Value: 1 mg/l - Notes: ECHA	
Target: Discontinuous use/release - Value: 100 mg/l - Notes: ECHA Target: Microorganisms in sewage treatments - Value: 100 mg/l - Notes: ECHA	
Target: Marine water sediments - Value: 5.2 mg/kg dw - Notes: ECHA	
Target: Freshwater sediments - Value: 52.3 mg/kg dw - Notes: ECHA	
Target: Soil (agricultural) - Value: 4.59 mg/kg dw - Notes: ECHA	
Target: Air - Value: 100 mg/l	
8.2. Exposure controls	
Eye protection:	
Not needed for normal use. Anyway, operate according good working practices.	
Protection for skin:	
No special precaution must be adopted for normal use. Protection for hands:	
Not needed for normal use.	
Respiratory protection:	

TWITCL/6 Page n. 4 of 11

Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	Low viscosity fluid		
Odour:	Characteristic		
Odour threshold:	N.A.		
pH:	12.8		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	100 °C		
Flash point:	N.A.		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	1.02 g/ml (20°C)		
Solubility in water:	100%		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/water):	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups	N.A.		
relevant properties			

### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions It may generate flammable gases on contact with halogenated organic substances, and elementary metals.
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects Toxicological information of the product: TEAK WONDER INSTANT CLEANER a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation The product is classified: Skin Corr. 1A H314 c) serious eye damage/irritation The product is classified: Eye Dam. 1 H318 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met j) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg bw - Source: EC 440/2008, B.1 -Notes: ECHA Test: LC50 - Route: Inhalation - Species: Rat = 31.59 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg bw - Source: EC 440/2008, B.3 -Notes: ECHA Test: LC50 - Route: Inhalation - Species: Rat > 7000 ppm - Duration: 6h b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: EC 440/2008, B.4 - Notes: ECHA c) serious eve damage/irritation: Test: Eye Irritant - Route: VIEW - Species: Rabbit Negative - Source: 2004/73/EEC, B.5 - Notes: ECHA d) respiratory or skin sensitisation: Test: Skin Sensitization - Route: Skin - Species: Guinea Pig Negative - Source: 440/2008/EC B.6 - Notes: ECHA f) carcinogenicity: Test: NOAEC - Route: Inhalation - Species: Mouse = 3000 ppm g) reproductive toxicity: Test: NOAEL - Route: Inhalation - Species: Rat = 300 ppm disodium metasilicate - CAS: 10213-79-3 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1152-1349 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 2.06 g/m3 Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin Positive c) serious eye damage/irritation: Test: Eye Corrosive Positive h) STOT-single exposure: Test: Respiratory Tract Irritant - Route: Inhalation Positive **SECTION 12: Ecological information** 12.1. Toxicity Adopt good working practices, so that the product is not released into the environment. TEAK WONDER INSTANT CLEANER Not classified for environmental hazards Based on available data, the classification criteria are not met 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Leuciscus idus = 6812 mg/l - Duration h: 96 - Notes: DIN 38412 Endpoint: EC50 - Species: Daphnia magna = 23300 mg/l - Duration h: 48 Endpoint: EC50 - Species: Pseudokirchneriella subcapitata > 1000 mg/l - Duration h: 168 Endpoint: IC50 - Species: activated mud, domestic > 1000 mg/l - Duration h: 3 Endpoint: EC50 - Species: Pimephales promelas = 20800 mg/l - Duration h: 96 Endpoint: EC50 - Species: Selenastrum Capricornutum > 1000 mg/l - Duration h: 168 Endpoint: LC50 - Species: Onchorhynchus mykiss > 1000 mg/l disodium metasilicate - CAS: 10213-79-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Brachydanio rerio = 210 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia magna = 1700 mg/l - Duration h: 48

e) Plant toxicity:

Endpoint: EC50 - Species: Scenedesmus subspicatus = 207 mg/l - Duration h: 72 - Notes: Biomass

Endpoint: EC50 - Species: Scenedesmus subspicatus > 345.4 mg/l - Duration h: 72 -Notes: growth rate 12.2. Persistence and degradability 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 Biodegradability: Readily biodegradable - Test: Solubility in water - Duration h: N.A. -%: 1000-10000 - Notes: mg/l Biodegradability: N.A.Test: N.A.Duration h: 28d - %: 96 - Notes: OECD 301 E disodium metasilicate - CAS: 10213-79-3 Biodegradability: Non-readily biodegradable - Test: N.A. - Duration h: N.A. - %: N.A. -Notes: N.A. 12.3. Bioaccumulative potential 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 Bioaccumulation: Not bioaccumulative - Test: LogPow 0.37 - Duration h: N.A. - Notes: (20 °C) OECD TG 117 disodium metasilicate - CAS: 10213-79-3 Bioaccumulation: Not bioaccumulative - Test: N.A. N.A. - Duration h: N.A. - Notes: N.A. 12.4. Mobility in soil 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 Mobility in soil: Mobile - Test: N.A. N.A. - Duration h: N.A. - Notes: N.A. 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Other adverse effects None

#### **SECTION 13: Disposal considerations**

13.1.	/aste treatment methods
	Recover if possible. In so doing, comply with the local and national regulations currently in
	orce.

#### **SECTION 14: Transport information**

14.1. UN number	
ADR-UN number:	3266
IATA-Un number:	3266
IMDG-Un number:	3266
14.2. UN proper shipping name	
ADR-Shipping Name:	CORROSIVE LIQUID, BASIC, INORGANIC. N.O.S. (DISODIUM METASILICATE)
IATA-Technical name:	CORROSIVE LIQUID, BASIC, INORGANIC. N.O.S. (DISODIUM METASILICATE)
IMDG-Technical name:	CORROSIVE LIQUID, BASIĆ, INORGANIC. N.O.S. (DISODIUM METASILICATE)
14.3. Transport hazard class(es)	X ,
ADR-Class:	8
ADR-Label:	8/80
IATA-Class:	8
IATA-Label:	8/80
IMDG-Class:	8
Special provisions:	Limited quantities LQ 5 I
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
	ADR-UN number: IATA-Un number: IMDG-Un number: 14.2. UN proper shipping name ADR-Shipping Name: IATA-Technical name: IMDG-Technical name: 14.3. Transport hazard class(es) ADR-Class: ADR-Class: ADR-Label: IATA-Class: IATA-Label: IMDG-Class: Special provisions: 14.4. Packing group ADR-Packing Group: IATA-Packing group: IMDG-Packing group:

ADR-Transport category (Tunnel restriction code): E

IATA-Passenger Aircraft: IATA-Cargo Aircraft: IMDG-Technical name: 852 856 CORROSIVE LIQUID, BASIC, INORGANIC. N.O.S. (DISODIUM METASILICATE) F-A, S-B

IMDG-EMS:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: **Restriction 30 Restriction 75** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

 Hazard class and
 Code
 Description

TWITCL/6 Page n. 9 of 11

hazard category		
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.

TWITCL/6 Page n. 10 of 11

RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

TWITCL/6 Page n. 11 of 11