

## SECTION1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product code : NO STICKY

UFI: 6910-H0YC-G00Q-KDDK

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Removes stickiness.

Sectors of use:

Private households (= general public = consumers)[SU21], Professional use[SU22]

Uses advised against

Do not use for purposes other than those listed

### 1.3. Details of the supplier of the safety data sheet

BLUE MARINE SRLS

viale Jonio SN

74025 Marina di Ginosa (TA)

P.IVA e CF IT02927430732

TEL. +39 099 8271746 - FAX +39 099 8272091

email: info@blue-marine.it - web. www.blue-marine.it

Persona competente responsabile della Scheda di Dati di Sicurezza: msds@blue-marine.it

National contact: Blue Marine Srl

### 1.4. Emergency telephone number

+39 099 8271746 (9:00-12:00 / 14:00-17:00 from Monday to Friday)

## SECTION2. Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

None

Hazard Class and Category Code(s):

Nonhazardous

Hazard statement Code(s):

Nonhazardous

## 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Nonhazardous

Supplemental Hazard statement Code(s):

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1);. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Contains:

REGULATION (EU) No 528/2012, biocides contained: 1,2-benzisothiazol-3(2H)-one; reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Contains (Reg.EC 648/2004):

< 5% 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), non-ionic surfactants

UFI: 6910-H0YC-G00Q-KDDK

## 2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

No information on other hazards

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

In conformity to Regulation (EU) 2020/878

Substance	% w/w	Classification	Identificativi
Alcohols, C9-11, ethoxylated	>= 1,00 < 1,40%	Acute Tox. 4, H302; Eye Irrit. 2, H319	CE ND CAS 68439-46-3 EINECS 614-482-0 REACH ND
2-DIETHYLAMINOETHANOL	>= 0,10 < 0,32%	Flam. Liq. 3, H226; Acute Tox. 4, H302; Acute Tox. 3, H311; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 3, H331 Limits: STOT SE 3, H335 %C >=5;	CE 603-048-00-6 CAS 100-37-8 EINECS 202-845-2 REACH 01-2119488937-14-XXXX
1,2-benzisothiazol-3(2H)-one	< 0,10%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Limits: Skin Sens. 1, H317 %C >=0,05; Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	CE 613-088-00-6 CAS 2634-33-5 EINECS 220-120-9 REACH 01-2120761540-60-XXXX
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); Note: B	< 0,10%	EUH071; Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Eye Dam. 1, H318; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Limits: Skin Corr. 1C, H314 %C >=0,6; Skin Irrit. 2, H315 0,06<= %C <0,6; Eye Dam. 1, H318 %C >=0,6; Eye Irrit. 2, H319 0,06<= %C <0,6; Skin Sens. 1A, H317 %C >=0,0015; Acute toxicity M-factor = 100 Chronic toxicity M-factor = 100	CE 613-167-00-5 CAS 55965-84-9 EINECS ND REACH 01-2120764691-48-XXXX

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#### Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

#### Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

#### Ingestion:

Rinse mouth with water of the subject. Consult a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

#### Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

## 5.2. Special hazards arising from the substance or mixture

No data available.

## 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

## SECTION6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

### 6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

### 6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash the area and materials involved

6.3.3 Other information:

None in particular.

### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

At work do not eat or drink.

See also paragraph 8 below.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

### 7.3. Specific end use(s)

Private households (= general public = consumers):

Handle in a well ventilated area.

Professional use:

Follow the rules of good hygiene in the workplace.

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Related to contained substances:

2-DIETHYLAMINOETHANOL:

TLV-TWA: 2 ppm (skin) (ACGIH 2004).

MAK: 5 ppm 24 mg / m<sup>3</sup> Peak limitation category: I (1); skin absorption (H); Pregnancy risk group: D; (DFG 2004).

1,2-benzisothiazol-3(2H)-one:

TLV-TWA = 0.06 mg/m<sup>3</sup>

STEL = 0.1 mg/m<sup>3</sup>

- Substance: 2-DIETHYLAMINOETHANOL

PNEC

Sweet water = 0,044 (mg/l)

sediment Sweet water = 0,475 (mg/kg/sediment)

Sea water = 0,0044 (mg/l)

sediment Sea water = 0,0475 (mg/kg/sediment)

intermittent emissions = 4,4 (mg/l)

STP = 10 (mg/l)

ground = 0,069 (mg/kg ground)

### 8.2. Exposure controls

Appropriate engineering controls:

Private households (= general public = consumers):

Observe usual safety precautions in the handling of chemicals.

Professional use:

Well ventilated environment. Observe the safety measures used in handling chemicals.

Individual protection measures:

a) Eye / face protection  
 Not needed for normal use.

b) Skin protection

i) Hand protection  
 Not needed for normal use.

ii) Other  
 Wear normal work clothing.

c) Respiratory protection  
 Not needed for normal use.

d) Thermal hazards  
 No hazard to report

Environmental exposure controls:  
 Use according to good working practices to avoid pollution into the environment.

**SECTION 9. Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical and chemical properties	Value
Physical state	Liquid
Colour	White / hazelnut
Odour	Characteristic
Odour threshold	Undefined
Melting point/freezing point	Undefined
Boiling point or initial boiling point and boiling range	Undefined
Flammability	Undefined
Lower and upper explosion limit	Undefined
Flash point	Undefined
Auto-ignition temperature	Undefined
Decomposition temperature	Undefined
pH	7 / 8
Kinematic viscosity	Undefined
Solubility	Undefined
Water solubility	Soluble
Partition coefficient n-octanol/water (log value)	Undefined
Vapour pressure	Undefined
Density and/or relative density	Undefined
Relative vapour density	Undefined
Particle characteristics	Irrelevant

## 9.2. Other information

### 9.2.1 Information with regard to physical hazard classes

No data available.

### 9.2.2 Other safety characteristics

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

It can generate flammable gases in contact with dithiocarbamates, primary metals, nitrides, strong reducing agents. It can generate toxic gases to contact with dithiocarbamate, organic fluoride, inorganic sulfide, strong oxidants agents. It can ignite in contact with elementary metals.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 23.148,1 mg/kg  
ATE(mix) dermal = 166.666,7 mg/kg  
ATE(mix) inhal = 1.666,7 mg/l/4 h

(a) acute toxicity: 2-DIETHYLAMINOETHANOL: Severely irritating to the respiratory tract. The substance can cause

effects on the nervous system

Acute risks / symptoms:

Inhalation: Cough. Nausea. Sore throat. He retched. Vertigo.

Skin: It can be absorbed! Redness. Ache.

Eyes: Redness. Ache. Blurred view.

Ingestion: Abdominal pain. Diarrhea.

(b) skincorrosion/irritation: 2-DIETHYLAMINOETHANOL: Corrosive

(c) serious eye damage/irritation: 2-DIETHYLAMINOETHANOL: Severely irritating

(d) respiratoryorskinsensitisation: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) eproductivetoxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

NO STICKY:

LD50 (rat) Oral (mg/kg body weight) = 375

Related to contained substances:

2-DIETHYLAMINOETHANOL:

ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation, through the skin and by ingestion.

INHALATION RISK: A harmful contamination of the air can be reached very quickly on evaporation of this substance at 20 ° C.

## 11.2. Information on other hazards

No data available.

## SECTION 12. Ecological information

### 12.1. Toxicity

NO STICKY:

C(E)L50 (mg/l) = 34,099998

Use according to good working practices to avoid pollution into the environment.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

Related to contained substances:

1,2-benzisothiazol-3(2H)-one:

logPow = 1.19 OECD Test Method Guideline 117 or equivalent



#### **12.4. Mobility in soil**

Related to contained substances:  
1,2-benzisothiazol-3(2H)-one:  
Behavior in purification plants:  
EC20 (3 h): 3.3 mg / l (activated sludge)

#### **12.5. Results of PBT and vPvB assessment**

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

#### **12.6. Endocrine disrupting properties**

No data available.

#### **12.7. Other adverse effects**

No adverse effects

Regulation (EC) 2004/648

More information:

Surfactant (s) content (s) in this preparation is (are) in accordance with the biodegradability criteria as laid down in Regulation CE/648/2004 on detergents. All supporting data shall be available to the competent authorities of Member States and will be provided, if they so request or at the request of a manufacturer of the formulation, the said authorities.

### **SECTION 13. Disposal considerations**

#### **13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.  
Recover if possible. Operate according to local or national regulations

### **SECTION 14. Transport information**

#### **14.1. UN number or ID number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

#### **14.2. UN proper shipping name**

None

#### **14.3. Transport hazard class(es)**

None

#### **14.4. Packing group**

None

#### **14.5. Environmental hazards**

None

#### **14.6. Special precautions for user**

No data available.

#### **14.7. Maritime transport in bulk according to IMO instruments**

It is not intended to carry bulk

### **SECTION 15. Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

REGULATION (EC) 1907/2006 (REACH) - Annex XIV, Annex XVII as amended.  
REGULATION (EC) 1272/2008 (CLP) as amended.  
COMMISSION DELEGATED REGULATION (EU) 2020/1182  
COMMISSION DELEGATED REGULATION (EU) 2021/643  
COMMISSION DELEGATED REGULATION (EU) 2021/849  
REGULATION (EU) 878/2020 (Requirements for the compilation of safety data sheets)  
REGULATION (EC) 790/2009, Dir 96/82/EC as amended.  
Substances in the Candidate List (REACH Article 59)  
Based on available data, no SVHC substances are present

#### **15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

### **SECTION 16. Other information**

#### **16.1. Other information**

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H319 = Causes serious eye irritation.

H226 = Flammable liquid and vapour.

H311 = Toxic in contact with skin.

H314 = Causes severe skin burns and eye damage.

H318 = Causes serious eye damage.

H331 = Toxic if inhaled.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H330 = Fatal if inhaled.

H400 = Very toxic to aquatic life.

H411 = Toxic to aquatic life with long lasting effects.  
H301 = Toxic if swallowed.  
H310 = Fatal in contact with skin.  
H410 = Very toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

No hazard to report. Classification procedure: Calculation method

Bibliographic data :

SAX 12 Ed Van Nostrand Reinhold

MERCK INDEX 15 Ed

ECHA: European Chemicals Agency (<https://echa.europa.eu/it/information-on-chemicals>)

OSHA: European Agency for Safety and Health at Work

IARC: International Agency for Research on Cancer

IPCS: International Programme on Chemical Safety (Cards)

NIOSH: Registry of toxic effects of chemical substances (1983)

ACGIH: American Conference of Governmental Industrial Hygienists

TOXNET: Toxicology Data Network

WHO: World Health Organization

CheLIST: Chemical Lists Information System

GESTIS: International Limit Value (<https://limitvalue.ifa.dguv.de/>)

Acronyms:

- ACGIH American Conference of Governmental Industrial Hygienists
- ADR Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route (European accord regarding international transport of dangerous goods by land)
- bw body weight
- CLP Classification, Labelling and Packaging
- CSR Chemical Safety Report
- DMEL Derived Minimal Effect Level
- DNEL Derived No Effect Level
- dw dry weight
- EC Effective Concentration
- IATA International Air Transport Association
- IMDG International Maritime Dangerous Goods
- LC Lethal Concentration
- LD Lethal Dose
- m.w. molecular weight
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- OECD Organisation / Office for Economic Co-operation and Development
- STEL Short Term Exposure Limit
- SVHC Substance of Very High Concern
- TLV Threshold Limit Value
- TWA Time Weighted Average
- vPvB very Persistent, very Bioaccumulative and toxic
- WGK Wassergefährdungsklasse (Water hazard class)

NOTICE TO USERS

The information contained in this sheet are based on the knowledge available at the date of the preparation of this sheet.

The user must be aware of the possible risks associated with the use of the product, other than that for which the product is supplied. The sheet does not exonerate the user from knowing and applying all the regulations governing its activities. The set of regulations mentioned is simply to help the user to fulfill its obligations regarding the use of hazardous products.

This sheet does not exonerate the user from other legal obligations than those mentioned and from rules regulating possession and use of the product, since the user is the only responsible.

\*\*\* This sheet supersedes all previous editions.